



**LUPRON DEPOT-PED<sup>®</sup>**  
(leuprolide acetate for depot suspension)



Sign Up  
for Updates



Health Care  
Professionals Site

[Understanding CPP](#)[About LUPRON DEPOT-PED](#)[Starting Therapy](#)[LUPRON Support PLUS](#)[FAQs](#)

# We can help on your CPP journey

LUPRON DEPOT-PED is the #1 prescribed treatment  
for Central Precocious Puberty (CPP)<sup>1</sup>

Understanding  
early puberty



The trusted  
leader in CPP  
treatment since  
1993<sup>1,2</sup>



Starting therapy  
with LUPRON  
DEPOT-PED



Support PLUS  
offers financial  
help, nurse  
support and more



**Use for LUPRON DEPOT-PED<sup>®</sup>** (leuprolide acetate for depot suspension)

LUPRON DEPOT-PED 7.5 mg, 11.25 mg, and 15 mg for 1-month and 11.25 mg and 30 mg for 3-month administration are prescribed for the treatment of children with central precocious puberty (CPP).

Doctors may diagnose children with CPP when signs of sexual maturity begin to develop in girls under the age of



# We can help on your CPP journey

LUPRON DEPOT-PED is the #1 prescribed treatment for Central Precocious Puberty (CPP)<sup>1</sup>

Understanding early puberty



The trusted leader in CPP treatment since 1993<sup>1,2</sup>



Starting therapy with LUPRON DEPOT-PED



Support PLUS offers financial help, nurse support and more



**Use for LUPRON DEPOT-PED<sup>®</sup>** (leuprolide acetate for depot suspension)

LUPRON DEPOT-PED 7.5 mg, 11.25 mg, and 15 mg for 1-month and 11.25 mg and 30 mg for 3-month administration are prescribed for the treatment of children with central precocious puberty (CPP).

Doctors may diagnose children with CPP when signs of sexual maturity begin to develop in girls under the age of







## LUPRON DEPOT-PED is the #1 prescribed treatment for Central Precocious Puberty (CPP)<sup>1</sup>

Understanding early puberty



The trusted leader in CPP treatment since 1993<sup>1,2</sup>



Starting therapy with LUPRON DEPOT-PED



Support PLUS offers financial help, nurse support and more



Hi! I'm Lexi and I'm a personal CPP coach.



Plan. Monitor. Track. See how the CPP tracker works!



**Use for LUPRON DEPOT-PED<sup>®</sup>** (leuprolide acetate for depot suspension)

LUPRON DEPOT-PED 7.5 mg, 11.25 mg, and 15 mg for 1-month and 11.25 mg and 30 mg for 3-month administration are prescribed for the treatment of children with central precocious puberty (CPP).

Doctors may diagnose children with CPP when signs of sexual maturity begin to develop in girls under the age of



Understanding  
early puberty



The trusted  
leader in CPP  
treatment since  
1993<sup>1,2</sup>



with LUPRON  
DEPOT-PED



offers financial  
help, nurse  
support and more



Hi! I'm Lexi and I'm a personal CPP coach. Guiding you through your child's treatment journey is what I do best. So if you need answers, [sign up for my informative emails](#)



**Plan. Monitor. Track. See how the CPP tracker works!**



Download on the  
App Store

### Use for LUPRON DEPOT-PED<sup>®</sup> (leuprolide acetate for depot suspension)

LUPRON DEPOT-PED 7.5 mg, 11.25 mg, and 15 mg for 1-month and 11.25 mg and 30 mg for 3-month administration are prescribed for the treatment of children with central precocious puberty (CPP).

Doctors may diagnose children with CPP when signs of sexual maturity begin to develop in girls under the age of 8 or boys under the age of 9. Your doctor should perform tests to rule out possible causes of early puberty that would require different treatment (e.g., tumors).